



Name : .....

Roll No. : .....

Invigilator's Signature : .....

**CS/B.Tech/CSE/New/SEM-6/CS-601/2013**

**2013**

**DATABASE MANAGEMENT SYSTEM**

Time Allotted : 3 Hours

Full Marks : 70

*The figures in the margin indicate full marks.*

*Candidates are required to give their answers in their own words as far as practicable.*

**GROUP - A**

**( Multiple Choice Type Questions )**

1. Choose the correct alternatives for the following :

10 × 1 = 10

i) In the relational modes, cardinality is termed as

- a) number of tuples
- b) number of attributes
- c) number of tables
- d) number of constraints.

ii) Relational calculus is a

- a) procedural language
- b) non-procedural language
- c) data definition language
- d) high level language.



iii) Cartesian product in relational algebra is

- a) a unary operator
- b) a binary operator
- c) a ternary operator
- d) not defined.

iv) DML is provided for

- a) description of logical structure of database
- b) addition of new structures in the database system
- c) manipulation & processing of database
- d) definition of physical structure of database system.

v) In a relational model, relations are termed as

- a) Tuples
- b) Attributes
- c) Tables
- d) Rows.

vi) In case of entity integrity, the primary key may be

- a) not Null
- b) Null
- c) both Null & not Null
- d) any value.



- vii) In an E-R diagram an entity set is represented by a
- a) rectangle
  - b) ellipse
  - c) diamond box
  - d) circle.
- viii) Which of the following operations is used if we are interested in only certain columns of a table ?
- a) PROJECTION
  - b) SELECTION
  - c) UNION
  - d) JOIN.
- ix) Which of the following is a comparison operator in SQL ?
- a) =
  - b) LIKE
  - c) BETWEEN
  - d) All of these.
- x) Using relational algebra the query that finds customers, who have a balance of over 1000 is
- a)  $\prod$ Customer\_name( $\sigma$  balance > 1000 (Deposit) )
  - b)  $\sigma$ Customer\_name( $\prod$  balance > 1000 (Deposit) )
  - c)  $\prod$ Customer\_name( $\sigma$  balance > 1000 (Borrow) )
  - d)  $\sigma$ Customer\_name( $\prod$  balance > 1000 (Borrow) ).



**GROUP - B**  
**( Short Answer Type Questions )**

Answer any *three* of the following.  $3 \times 5 = 15$

2. Explain in brief 3-schema architecture of DBMS.
3. Explain with example super key, candidate key and primary key.
4. What is cardinality ratio ? What is the difference between procedural and non-procedural DML ? What is disjointness constraint ?  $1 + 2 + 2$
5. Describe three layer architecture of DBMS.
6. Indicate the advantage of DBMS over conventional file system.

**GROUP - C**  
**( Long Answer Type Questions )**

Answer any *three* of the following.  $3 \times 15 = 45$

7. a) What do you mean by integrity constraint ?  
b) What is lossless decomposition ?  
c) What do you mean by closure ?  
d) Suppose that we decompose the schema,

$R = ( A, B, C, D )$  into  $( A, B, C )$  and  $( A, D, E )$ .

Show that this decomposition is lossless decomposition, if the following set  $F$  of FDs holds —

$A \rightarrow BC, CD \rightarrow E, B \rightarrow D, E \rightarrow A.$   $2 + 2 + 2 + 9$



8. a) State two-phase commit protocol and discuss the implications of a failure on the part of

i) the coordinator

ii) a participant, during each of the two phases.

b) Describe the wait-die and wound-wait protocols for deadlock prevention.

c) Define three concurrency problems : dirty read, non-repeatable read, phantoms.

d) Let T1, T2 and T3 be transactions that operate on the same data items A, B and C. Let r1(A) mean that T1 reads A w1(A) means that T1 writes A and so on for T2 and T3.

Consider the following schedule :

S1 : r2(c), r2(B), w2(b), r3(B), r3(C), r1(A), w1(A), w3(B),  
w3(C), r2(A), r1(B), w1(B), w2(A)

Is the schedule serializable ?

e) What are the roles of Analysis, Redo and Undo phases in the recovery algorithm 'ARIES' ? 4 + 2 + 3 + 3 + 3



9. a) When do we call a relation is in 3NF ?
- b) Consider the relation assignment {worker\_id, building\_id, startdate, name skilltype} and FDs are {worker\_id->name, (worker\_id, building\_id)->startdate}.

Is the relation in 2NF ? If not, then make it in 2NF.

- c) Describe Boyce-Codd normal form with example.
- d) What is Query Tree ? Why we need query tree ? Consider the query "SELECT EMP\_NAME FROM EMPLOYEE, WORK\_ON, PROJECT WHERE PROJECT\_NAME='ASSEMBLY' AND PRJ\_NO='P1'AND JPOIN\_DATE='21-12-12'. Construct a query tree for this query.  $1 + 4 + 3 + ( 1 + 2 + 4 )$

10. a) What is trnasacton ?
- b) What is ACID property ?
- c) Explain with example serial and serializable schedule.
- d) What are the problems of concurrent execution of transaction ?
- e) Explain with the help of precedence graph the conflict and non-conflict serializability.  $1 + 3 + 4 + 3 + 4$



11. Write short notes on any *three* of the following : 3 × 5

- a) Functional dependency
- b) Dead lock
- c) Transaction state diagram
- d) B-tree
- e) Data Dictionary.

=====