



Name : .....

Roll No. : .....

Invigilator's Signature : .....

**CS/B.Sc.(H)/(Genetics/Mol-Bio.)/SEM-6/MLG-603/2013**

**2013**

**MOLECULAR HUMAN GENETICS**

*Time Allotted : 3 Hours*

*Full Marks : 70*

*The figures in the margin indicate full marks.*

*Candidates are required to give their answers in their own words  
as far as practicable.*

**GROUP - A**

**( Multiple Choice Type Questions )**

1. Choose the correct alternatives for any *ten* of the following :

$10 \times 1 = 10$

i) Which chromosome possesses lowest number/density  
of genes ?

a) 13

b) Y

c) 1

d) 22.



- ii) Locus heterogeneity means
- a) same disease by mutations at different loci
  - b) existence of many different disease-causing alleles at same locus
  - c) complex patterns of inheritance occurs from the same locus
  - d) variable expression of a gene in the same locus.
- iii) Which year map based Cystic Fibrosis Gene was discovered on chromosome 7q ?
- a) 1987
  - b) 1989
  - c) 1992
  - d) 1998.
- iv) Which type of vectors are mostly used in gene therapy clinical trials ?
- a) Retrovirus
  - b) Pox virus
  - c) Vaccinia virus
  - d) Adeno-associated virus.



- v) First human gene therapy trial was done using
- MoMLV-based delivery vector
  - Liposome-based delivery
  - Human Artificial chromosome based delivery
  - Non-viral based delivery.
- vi) Repetitive sequence within coding region causes
- Huntington disease
  - Fragile X syndrome
  - Baker Muscular dystrophy
  - Cystic fibrosis.
- vii) Repetitive sequence outside coding region causes
- Fragile X syndrome
  - Baker Muscular dystrophy
  - Huntington disease
  - Cystic fibrosis.
- viii) Which year map based Huntington Disease Gene was discovered on chromosome 4p ?
- 1990
  - 1993
  - 1997
  - 1998.



- ix) Which year Human Genome Project was Proposed ?
- a) 1982
  - b) 1985
  - c) 1988
  - d) 1990.
- x) Diagnosis of Ambiguous phenotype of a newborn baby is done by
- a) Physical examination
  - b) Genetic test
  - c) Hormonal test
  - d) Ultrasound.
- xi) The presence of both ovarian and testicular tissue in the same individual known as
- a) female pseudohermaphroditism
  - b) true hermaphroditism
  - c) XY-FEMALE
  - d) mixed gonadal dysgenesis.
- xii) The first artificial chromosome is synthesized in the year
- a) 1981
  - b) 1983
  - c) 1986
  - d) 1984.



xiii) The DNA fingerprinting technique is developed in the year

- a) 1978
- b) 1982
- c) 1984
- d) 1990.

**GROUP - B**

**( Short Answer Type Questions )**

Answer any *three* of the following.  $3 \times 5 = 15$

2. What is haploinsufficiency ? What is its effect ?  $2 + 3$
3. Why genetic map differ from physical map ?
4. How to decide whether a non-Mendelian character is genetic or not ?
5. Define haplotype and gene conversion. What is the difference between gene conversion and recombination ?  
 $2 + 2 + 1$
6. Chiasma count give an estimate of the total map length. Explain.



**GROUP - C**

**( Long Answer Type Questions )**

Answer any *three* of the following.  $3 \times 15 = 45$

7. What are loss of function mutation and gain of function mutation ? What is dominant negative effect ? Discuss dominant negative effect in Fibrillar collagens.

$$2 \frac{1}{2} + 2 \frac{1}{2} + 3 + 7$$

8. Discuss Loss of function mutation in PAX3 gene ? What epigenetic mechanisms can bring about mutational effects in genes ? Discuss all of them in short.

$$7 + 2 + 6$$

9. What are positional cloning and candidate gene mapping ? How positional cloning and candidate gene mapping help to identify the human disease gene ? Explain with suitable example. What is complex genetic diseases ?

$$2 + 2 + 4 + 4 + 3$$

10. How chromosomal aberrations provide a useful short-cut to locate a disease gene ? Why multipoint mapping is more efficient than two point mapping ? What are the different genetic markers used in human disease gene mapping ?

$$5 + 5 + 5$$

CS/B.Sc.(H)/(Genetics/Mol-Bio.)/SEM-6/MLG-603/2013



11. What are contiguous gene syndrome and segmental aneuploidy syndrome ? Give example. Allelic heterogeneity is a common feature of loss of function phenotype. Explain.

5 + 5 + 5

---