ANNA UNIVERSITY – UNIVERSITY DEPARTMENT B.E. (FULL-TIME) DEGREE EXAMINATION, MAY 2013

Sixth Semester – R2008
Branch: Computer Science & Engineering

CS9032 - GRAPH THEORY (End-Semester Examination)

Time: Three Hours

Max. Marks: 100

Answer ALL Questions

Part A $(10 \times 2 = 20 \text{ Marks})$

- 1. Define ring-sum of two graphs.
- 2. Give an example of an Euler graph which is arbitrarily traceable.
- 3. State any two properties of a graph with n^2 edges, where n is the number of vertices in the graph.
- 4. Define eccentricity of a graph.
- 5. What is edge connectivity?
- 6. Give an example of 1-isomorphic but not isomorphic graphs.
- 7. What is the rank of a circuit matrix if e and n are respectively the number of edges and vertices of G.
- 8. Suppose X is the adjacency matrix of a graph. What does X^k denote?
- 9. What is the upper limit of the chromatic number?
- 10. In a directed graph, when do we say a vertex is isolated?

Part B $(5 \times 16 = 80 \text{ Marks})$


- 11. Prove the following.
 - (a) If a graph has exactly two vertices of odd degree, there must be a path joining these two vertices. (4)
 - (b) A connected graph is an Euler graph if and only if every vertex has even degree.(6)
 - (c) A connected graph is an Euler graph if and only if it can be decomposed into circuits. (6)

- 12. (a) Prove the following.
 - i. Every tree has either one or two centers.

- (4)
- ii. A graph is a tree if and only if it is minimally connected.
- (4) (4)
- iii. Number of vertices in a binary tree is always odd.
- (4)
- iv. Number of pendent vertices in a binary tree is (n+1)/2.
 - (OR)
- (b) i. The ring-sum of any two cut-sets in a graph is either third cut-set or an edge disjoint union of cut-sets. (8)
 - ii. Two graphs are 2-isomorphic if and only if they have circuit correspondence. (4)
 - iii. A vertex v in a connected graph G is a cut-vertex if and only if there exists two vertices x and y in G such that every path between x and y passes through v. (4)
- 13. (a) Prove that a graph is non-planar if and only if it contains a subgraph homeomorphic to K_5 or $K_{3,3}$. (16)

(OR)

- (b) i. If A(G) is an incidence matrix of a connected graph G with n vertices, then prove that rank of A(G) is n-1.
 - ii. Prove that the reduced incidence matrix of a tree is non-singular. (6)
 - iii. Generate the circuit matrix for the following graph. (4)



- 14. (a) i. If the edges of a connected graph are arranged in the same order for the columns of the incidence matrix A and the path matrix P(x,y), then prove that the product (mod 2) $A.P^{T}(x,y) = M$, where the matrix M has 1's in two rows x and y, and the rest of the n-2 rows are all zeros.
 - ii. For the following graph, find the all maximal independent sets. (8)

