	<u> </u>
Name:	(4)
Roll No.:	~ ~
Inviailator's Sianature :	

## CS/B.OPTM/SEM-4/BO-403/2011

# 2011 CLINICAL REFRACTION-I

Time Allotted: 3 Hours Full Marks: 70

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

# GROUP – A ( Multiple Choice Type Questions )

- 1. Choose the correct alternatives for the following :  $10 \times 1 = 10$ 
  - i) Fogging means making the eye
    - a) artificially myopic
- b) artificially astigmatic
- c) artificially hyperopic
- d) none of these.
- ii) Spherical equivalent of  $1 \cdot 00$  D.sph /-  $3 \cdot 00$  D.cyl@90

is

- a) -2.50 D.sph
- b) + 2.50 D.sph
- c) -4.00 D.sph
- d) -2.00 D.sph
- iii) On the log MAR chart the 6/60 has a log MAR value of
  - a) 1.0

b) 0.8

c) 0 · 7

d) none of these.

4126 [Turn over

## CS/B.OPTM/SEM-4/BO-403/2011

- iv) The technique of binocular balance, where 3PD BD is placed in front of right eye and 3PD BU in front of left eye is called
  - a) dissociated duochrome balance
  - b) prism dissociation
  - c) Turville infinity balance
  - d) none of these.
- v) Equivalent of visual acuity 6/24 is
  - a) 20/40

- b) 20/80
- c) 20/100
- d) 20/200.
- vi) In compound hypermetropic astigmatism
  - a) both foci are in front of retina
  - b) both foci are behind the retina
  - c) one focus is in front of retina and another behind
  - d) one focus is on the retina and the other is behind.
- vii) Premature presbyopia occurs in all except
  - a) uncorrected hypermetropia
  - b) premature hardening of crystalline lens
  - c) weakening of ciliary muscles
  - d) uncorrected myopia.



- viii) Cycloplegic eyedrops are indicated in all excep
  - a) pediatric patients
  - b) young hyperopes
  - c) glaucoma patients
  - d) patients having spasm of accommodation.
- ix) The principle of stenopaic slit is based on
  - a) astigmatic fan
- b) pinole phenomenon
- c) Strum's conoid
- d) none of these.
- x) During verification of a spherical lens the object focused at a distance seem to move in ...... direction in case of a convex tens.
  - a) same direction
- b) opposite direction
- c) both directions
- d) no direction.

#### **GROUP - B**

# (Short Answer Type Questions)

Write short notes on any three of the following.

 $3 \times 5 = 15$ 

- 2. a) Strum's conoid
  - b) Scheiner Principle
  - c) Vertex power measurement
  - d) Spectacle frame choice

## CS/B.OPTM/SEM-4/BO-403/2011



#### **GROUP - C**

# (Long Answer Type Questions)

Answer any *three* of the following.  $3 \times 15 = 45$ 

- 3. a) How will you measure I.P.D.? In what cases is monocular P.D. measurement needed?
  - b) Discuss "Objective Refraction".

$$7\frac{1}{2} + 7\frac{1}{2}$$

- 4. a) What is Presbyopia?
  - b) How can you measure "amplitude of accommodation"?
  - c) Describe the construction of Snellern's chart. 5 + 5 + 5
- 5. a) Explain "Automated Objective Refraction".
  - b) There are various typs of auto-refractors, each based on a different principle. Discuss any 2 such principles and the auto-refractors made, based on these principles.

$$5 + 5 + 5$$

- a) Discuss the role of J.C.C. (Jackson crossed cylinder)
  during refraction. Explain its use on the basis of
  principle involved.
  - b) Discuss the Javal Schiotz Principle and Bausch and Lomb Principle based keratometers. Bring out the basic difference between the two types of keratometers. 5 + 10

4126